



The Sutton Academy

Knowledge Rich Curriculum Plan

Year 10 Intermediate – Algebra 3

Lesson	Intended Knowledge:	Tiered Vocabulary	Prior Knowledge:	Steps to Success:	Feedback
To learn how to generate sequences and find the nth term of a sequence.	<ul style="list-style-type: none"> Students will know how to generate both linear and quadratic sequences using the nth term. Students will know how to find the nth term of a linear sequence. Students will know how to find the nth term of a pattern sequence. Students will know how to find a particular term in the sequence by using the nth term of the sequence. E.g. 10th term Students will know how to determine whether a number is in the sequence or not. Students will know how to use the nth term of an arithmetic sequence to decide if a given number is a term in the sequence. Students will know how to find the first term greater/less than a certain number. Students will know how to find the next term and state the term-to-term rule for a Fibonacci sequence. 	<p>Sequence - a particular order in which related things follow each other</p> <p>Generate – produce or create</p> <p>Arithmetic Sequence - A sequence made by adding or subtracting by the same value each time</p> <p>Geometric Sequence – a sequence made by multiplying by the same value each time</p> <p>nth Term – a formula that allows us to find any term in a sequence. The 'n' stands for the term number</p> <p>Quadratic – an expression where the highest power of the variable is 2</p> <p>Substitution - replacing letters with numbers in algebraic expressions or equations</p> <p>Fibonacci Sequence – a sequence of numbers in which each number is the sum of the two preceding numbers. The simplest is the series 1, 1, 2, 3, 5, 8, etc.</p>	<ul style="list-style-type: none"> Students need to know how to continue sequences including patterns, linear and geometric. Students need to know how to describe the term-to-term rule for a sequence. 	<p>Steps to Success – Generating a Sequence</p> <p>Step 1: Begin by substituting the letter 'n' with the number 1, this will create the first term of the sequence.</p> <p>Step 2: Then substitute the letter 'n' with the number 2, this will create the second term of the sequence.</p> <p>Step 3: Then substitute the letter 'n' with the number 3, this will create the third term of the sequence.</p> <p>Step 4: Repeat this process until you have generate the required number of terms. You may also be able to generate the rest of the sequence, once you know the term to term rule. You can then continue adding or subtracting the value until you have the required number of terms.</p> <p>Steps to Success - Finding the nth term of linear sequences</p> <p>Step 1: Find the differences between each term – these should be the same number.</p> <p>Step 2: Multiply your difference by n.</p> <p>Step 3: Substitute the number 1 into your nth term.</p> <p>Step 4: Work out what you would do to get to the first term in the sequence.</p> <p>Step 5: Make this adjustment to your nth term.</p> <p>You can double check your answer by substituting in 2 and this should give you the second term in the sequence.</p> <p>Steps to Success – Pattern Sequences</p> <p>Step 1: Identify how many items/pictures is contained each pattern. Write this above each pattern.</p> <p>Step 2: Find the differences between each term – these should be the same number.</p> <p>Step 3: Multiply your difference by n.</p> <p>Step 4: Substitute the number 1 into your nth term.</p> <p>Step 5: Work out what you would do to get to the first term in the sequence.</p> <p>Step 6: Make this adjustment to your nth term.</p> <p>Steps to Success – Finding a particular term</p> <p>Step 1: Begin by substituting the letter 'n' with the term numbers.</p> <p>Step 2: Use BIDMAS to calculate the value of the term.</p> <p>Steps to Success – Identifying if a term is within a sequence</p> <p>Step 1: If a sequence is given, you may firstly need to calculate the nth term, if a rule and the first term is given you will need to write out the sequence and the calculate the nth term</p> <p>Step 2: Write an equation where the nth term is equal to the number given and solve.</p> <p>Step 3: If the answer is an integer, then it is in the sequence, if not it does appear in the sequence.</p>	
To learn how to draw straight line graphs.	<ul style="list-style-type: none"> Students will know how to draw and recognise graphs of $y = a$, $x = b$, $y = x$ and $y = -x$. Students will know how to draw straight line graphs in the form $y = mx + c$ by using a table of values. Students will know how to plot straight line graphs in the form $y = mx + c$ by first constructing their own table of values. 	<p>Substitution - replacing letters with numbers in algebraic expressions or equations</p> <p>Linear Equation – an equation between two variables that can be</p>	<ul style="list-style-type: none"> Students need to know how to plot and write coordinates. 	<p>Steps to Success – Plotting Straight Line Graphs in the form $y = a$ and $x = b$</p> <p>Step 1: Highlight the axes that you need to use. The y-axis for $y =$ and the x-axis for $x =$.</p> <p>Step 2: Circle the number that is in the equation.</p> <p>Step 3: Draw a straight line through that number with a pencil and ruler. Double check that every x or y coordinate on the line matches the value in the equation.</p> <p>Steps to Success – Plotting Straight Line Graphs in the form $y = mx + c$</p>	

Lesson	Intended Knowledge:	Tiered Vocabulary	Prior Knowledge:	Steps to Success:	Feedback
	<ul style="list-style-type: none"> Students will know how to plot and draw graphs of straight lines in the form $x + y = c$. <p>Opportunity for challenge:</p> <ul style="list-style-type: none"> Students will know how to use straight line graphs to estimate values. 	written in the form $y = mx + c$. Linear equations give a straight line when plotted on a graph.		<p>Step 1: Use the table of values for your coordinates for drawing the graph. If a table is not provided, create one using the x values on the axis as the x values in your table. Substitute your x values into the equation of the line in order to find your y coordinates. Remember to use BIDMAS.</p> <p>Step 2: Choose a pair of coordinates (x,y) from your table to plot on the graph. Remember that the 'x' coordinate is for the horizontal axis and the 'y' coordinate is for the vertical axis. Mark this point on the graph with a cross (x).</p> <p>Step 3: Continue this process until all pairs of coordinates have been plotted.</p> <p>Step 4: Join up the points with one straight line using a pencil and a ruler. If the coordinates do not form a straight line, check each coordinate is plotted correctly.</p>	
To learn how to find the gradient from two points.	<ul style="list-style-type: none"> Students will know how to identify the gradient and y-intercept of a straight line given the equation. Students will know that $gradient = \frac{change\ in\ y}{change\ in\ x}$ Students will know how to find the gradient from two coordinates. 	<p>Intercept – cross</p> <p>Y-intercept – the y-intercept tells us where a graph crosses the y-axis, this where $x = 0$</p> <p>X-intercept – the x-intercept tells us where a graph crosses the x-axis, this where $y = 0$</p> <p>Gradient – steepness. The gradient of a line tells us how steep the line is.</p> <p>Origin – The origin is located at the intersection of the vertical and horizontal axes at the coordinates (0, 0)</p>	<ul style="list-style-type: none"> Students need to know how to plot and write coordinates. 	<p>Steps to Success – Calculating the gradient from two points</p> <p>Step 1: Label the coordinates x and y.</p> <p>Step 2: Work out the change in the y-coordinates.</p> <p>Step 3: Work out the change in the x-coordinates (remember to do this in the same direction as you did for the y-coordinates).</p> <p>Step 4: Calculate the gradient by dividing the 'change in y' by the 'change in x'.</p> $gradient = \frac{change\ in\ y}{change\ in\ x}$	
To learn how to find the equation of a straight line.	<ul style="list-style-type: none"> Students will know how to identify the y-intercept of a given straight line. Students will know how to find the equation of a given straight line. Students will know how to find the equation of a straight line with a given gradient and a point. 		<ul style="list-style-type: none"> Students need to know how to find the gradient from two points. 	<p>Steps to Success - The equation of a straight line</p> <p>Step 1: Identify two pairs of integer coordinates on the given straight line.</p> <p>Step 2: Work out the difference between the y-coordinates</p> <p>Step 3: Work out the difference between the x-coordinates</p> <p>Step 4: Calculate the gradient between the two pairs of coordinates using:</p> $gradient = \frac{change\ in\ y}{change\ in\ x}$ <p>Step 5: Identify the y-intercept of the straight line, this is the point at which the line crosses the y-axis</p> <p>Step 6: Substitute the gradient and y-intercept into the equation of the straight line. If the y-intercept is positive, the equation of the line will end in +c, if it is negative, it will end in - c.</p> <p>Steps to Success - The equation of a straight line from a given gradient and point</p> <p>Step 1: Replace the m in $y = mx + c$ with the gradient you have been given.</p> <p>Step 5: Substitute in the numbers from the coordinate into the equation for the letters x and y.</p> <p>Step 6: Rearrange the equation to find the value of c.</p>	

Lesson	Intended Knowledge:	Tiered Vocabulary	Prior Knowledge:	Steps to Success:	Feedback
				Step 7: Substitute the gradient and y-intercept into the equation of the straight line. If the y-intercept is positive, the equation of the line will end in +c, if it is negative, it will end in – c.	
To learn how to find the equation a straight line and of parallel lines.	<ul style="list-style-type: none"> Students will know how find the equation of a straight line from two points. Students will know how to generate equations of lines parallel to the given line or equation. Students will know how to identify sets of parallel lines from their equations. 	Parallel – parallel lines are two lines that are side by side and have the same distance continuously between them	<ul style="list-style-type: none"> Students need to know how to calculate gradient between two coordinates. Students need to know how to substitute values into an equation. 	Steps to Success - The equation of a straight line from two points Step 1: Work out the difference between the y-coordinates Step 2: Work out the difference between the x-coordinates Step 3: Calculate the gradient between the two pairs of coordinates using: $\text{gradient} = \frac{\text{change in } y}{\text{change in } x}$ Step 4: Replace the m in $y = mx + c$ with the gradient you have just found. Step 5: Substitute in the numbers from one of the coordinates into the equation for the letters x and y. Step 6: Rearrange the equation to find the value of c. Step 7: Substitute the gradient and y-intercept into the equation of the straight line. If the y-intercept is positive, the equation of the line will end in +c, if it is negative, it will end in – c.	
To learn how to solve problems involving midpoints and find the length of a line.	<ul style="list-style-type: none"> Students will know how to find the midpoint of a line. Students will know how to use the midpoint to find the coordinates of the end of a line. Students will know how to solve coordinate problems involving midpoints. Students will know how to find the length of a line using Pythagoras' Theorem. 	Midpoint - the exact middle point.	<ul style="list-style-type: none"> Students need to know how to use Pythagoras' theorem. 	Steps to Success – Midpoint Step 1: Label the coordinates at both ends of the line with x's and y's. Step 2: Add the x-coordinates together and divide by 2. This gives you the x-coordinate of the midpoint. Step 3: Add the y-coordinates together and divide by 2. This gives you the y-coordinate of the midpoint. Step 4: Write out your midpoint as a coordinate. Steps to Success – Length of a line Step 1: Label the coordinates at both ends of the line with x's and y's. Step 2: Subtract the x-coordinates to get the distance between them. This will give you the horizontal distance between each end of the line. Step 3: Subtract the y-coordinates to get the distance between them. This will give you the vertical distance between each end of the line. Step 4: Pythagoras' theorem ($a^2 + b^2 = c^2$) with the two new values to calculate the length of the line segment. * It helps to draw the right-angled triangle onto your diagram*	
To learn how to solve linear simultaneous equations graphically.	<ul style="list-style-type: none"> Students will know how to use linear graphs to estimate values of y for given values of x and vice versa. Students will know how to solve linear simultaneous equations graphically when the straight lines graphs are given. Students will know how to solve linear simultaneous equations graphically when at least one line needs to be drawn first. 	Solve – find an answer Simultaneous – occurring at the same time Simultaneous equations – equations involving two or more unknowns that are to have the same values in each equation Linear Equation – an equation where the highest power of x is 1	<ul style="list-style-type: none"> Students need to know how to plot and write coordinates. 	Steps to Success – Solving simultaneous equations graphically Step 1: Highlight the point where the two lines cross each other. Step 2: Write down the coordinate of this point. Step 3: Write down the answers in the form x= and y=. Steps to Success – Solving Simultaneous Equations graphically Step 1: Check if both your equations are in the form of $y = mx + c$. If they are not, rearrange them into this. Step 2: Plot your first equation on your graph, if it is not already plotted. Step 3: Plot your second equation on your graph, if it is not already plotted. Step 4: Find the point of intersection, this co-ordinate is the solution for x and y. Step 5: State the values for x and y. Step 6: Check your answer by substituting you value for x and y into a different equation to ensure your values are correct.	

Lesson	Intended Knowledge:	Tiered Vocabulary	Prior Knowledge:	Steps to Success:	Feedback
To learn how to solve linear simultaneous equations.	<ul style="list-style-type: none"> Students will use elimination to solve basic linear simultaneous equations algebraically without scaling any of the equations. Students will use elimination to solve linear simultaneous equations where the scaling of one equation is necessary. 		<ul style="list-style-type: none"> Students need to know how to solve linear equations. 	<p>Steps to Success – Solving Simultaneous Equations</p> <p>Step 1: Eliminate the x's or y's by either adding the two equations together (when the signs in front of the x's or y's are different) or by subtracting the two equations from each other (when the signs in front of the x's or y's are the same).</p> <p>Step 2: Solve the remaining equation for x or y.</p> <p>Step 3: Substitute the value you have found into any of your equations.</p> <p>Step 4: Solve this equation to find the variable.</p> <p>Step 5: Check your answer by substituting your value for x and y into a different equation to ensure your values are correct.</p>	
To learn how to solve linear simultaneous equations.	<ul style="list-style-type: none"> Students will know how to use elimination to solve linear simultaneous equations algebraically where scaling of both equations is needed. Students will know how to form and solve linear simultaneous equations using real-life context. 		<ul style="list-style-type: none"> Students need to know how to solve basic simultaneous equations without the use of scaling. 	<p>Steps to Success – Solving Simultaneous Equations</p> <p>Step 1: Check to see if the coefficients of x or y are the same in both equations.</p> <p>Step 2: If they are different, multiply one or both equations to make them the same (or find the Lowest Common Multiple of the coefficients of x or y)</p> <p>Step 3: Eliminate the x's or y's by either adding the two equations together (when the signs in front of the x's or y's are different) or by subtracting the two equations from each other (when the signs in front of the x's or y's are the same).</p> <p>Step 4: Solve the remaining equation for x or y.</p> <p>Step 5: Substitute the value you have found into any of your equations.</p> <p>Step 6: Solve this equation to find the variable.</p> <p>Step 7: Check your answer by substituting your value for x and y into a different equation to ensure your values are correct.</p>	
Exam Preparation 10					