



Knowledge Rich Curriculum Plan

SCIENCE- Chemistry Year 10



					The Sutton Acad
Lesson/Learning	Intended Knowledge:	Prior Knowledge:	Working Scientifically	Tiered Vocabulary	Support
Sequence	Students will know that	In order to know this, students need to already know that		and Reading Activity	
Lesson:	 Students will know that the rate of 	 Students need to already know that mass is 	Recognise and use expressions in	Tier 2	BBC Bitesize
Measuring	a chemical reaction can be found by	measured using a digital balance	decimal form.		
Rates	measuring the quantity of a	Students need to already know that volume		Relative: in relation	Knowledge organiser
	reactant being used or by	can be measured using a measuring	Use ratios, fractions and	to something else	
	measuring the quantity of a	-	percentages.		Kay Science videos
	· · ·	cylinder or a gas syringe		Tier 3	
	product being formed		Make estimates of the results of		Tassomai
	 Students will know that the 		simple calculations.	Reactant: substance	
	quantity of a product or reactant			that reacts during a	
	can be measured by the mass in		Translate information between	chemical reaction	
	grams or by a volume in cm3		graphical and numeric form.		
	Students will know how to determine			Product: substance	
	which method is best used for		Drawing and interpreting	that is produced	
			appropriate graphs from data to	during a chemical	
	measuring the rate of a reaction		determine rate of reaction.	reaction	
			Plot two variables from		
			experimental or other data.		
			Determine the slope and		
			intercept of a linear graph.		
			Draw and use the slope of a		
			tangent to a curve as a measure		
			of rate of change.		
Lesson:	 Students will know that the rate of 	 Students need to already know how to draw 	Recognise and use expressions in		BBC Bitesize
Calculating	a chemical reaction can be	axis for a graph accurately	decimal form.		
Rates of	calculated using:	 Students need to already know that 			Knowledge organiser
Reactions	mean rate of reaction = quantity of	gradients are calculated by using:	Use ratios, fractions and		
	reactant used ÷ time taken	 gradient = change in y ÷ change in x 	percentages.		Kay Science videos
	OR	- gradient - change my . Change mx			
			Make estimates of the results of		Tassomai
	mean rate of reaction = quantity of		simple calculations.		
	product formed ÷ time taken				
	 Students will know that the units of 		Translate information between		
	rate of reaction may be given as g/		graphical and numeric form.		
	or cm3/s (or, for HT, as mol/s)				
	Students will know how to calculate		Drawing and interpreting		
	mean rate of reaction from given		appropriate graphs from data to		
			determine rate of reaction.		
	information		DI LI C		
	HT only - Students will know how to		Plot two variables from		
	draw tangents to curves on rates of		experimental or other data.		
	reaction graphs, and calculate the				
	gradient of the tangent		Determine the slope and		
	g. 22.2 21 2 tang tangont		intercept of a linear graph.		



Lesson/Learning Sequence	Intended Knowledge: Students will know that	Prior Knowledge: In order to know this, students need to already know that	Working Scientifically	Tiered Vocabulary and Reading Activity	Support
Soquelle	Students will know how to draw and interpret graphs, showing the quantity of product formed or quantity of reactants used up		Draw and use the slope of a tangent to a curve as a measure of rate of change.		
Lesson: Factors Affecting Rates	 Students will know that factors that affect the rates of reaction include: the concentration of reactants in solution, the pressure of reacting gases, the surface area of solid reactants, the temperature and the presence of catalysts Students will know that collision theory explains how various factors affect rates of reaction. Students will know that collision theory states that for chemical reactions to occur the reacting particles must collide with each other with sufficient energy Students will know that the minimum amount of energy the particles must have to react is called the activation energy Students will know that increasing the concentration of reactants in solution, the pressure of reacting gases and the surface area of solid reactants increases the frequency of collisions and so increases the rate of reaction Students will know that increasing the temperature increases the frequency of collisions and makes the collisions more energetic, increasing the rate of reaction. Students will know how to predict and explain, using collision theory, the effects of changing conditions 	Students need to already know that rate of reaction is a measure of how quickly a reaction takes place. Students need to already know that rate of reaction is a measure of how quickly a reaction takes place.	Recognise and use expressions in decimal form. Use ratios, fractions and percentages. Make estimates of the results of simple calculations. Translate information between graphical and numeric form. Drawing and interpreting appropriate graphs from data to determine rate of reaction. Plot two variables from experimental or other data. Determine the slope and intercept of a linear graph. Draw and use the slope of a tangent to a curve as a measure of rate of change.	Frequency: the rate at which something occurs Tier 3 Catalyst: Substance that speeds up the rate of reaction without itself being used up Activation energy: minimum energy particles must have to react	Knowledge organiser Kay Science videos Tassomai



Lesson/Learning	Intended Knowledge:	Prior Knowledge:	Working Scientifically	Tiered Vocabulary	Support Sutton Acade
Sequence	Students will know that	In order to know this, students need to already know that		and Reading Activity	
Lesson: Factors Affecting Rates of Reaction - Required Practical	of concentration, pressure and temperature on the rate of reaction • Students will know how to predict and explain the effects of changes in the size of pieces of a reacting solid in terms of surface area to volume ratio. • Students will know how to use simple ideas about proportionality when using collision theory to explain the effect of a factor on the rate of a reaction • Students will know that the independent variable when investigating rates of reaction is the concentration of the solution • Students will know that rate of reaction can be practically determined by measuring that volume of gas produced or by measuring a change in turbidity • Students will know that turbidity is a measure of how cloudy/ opaque a mixture is • Students will know how to describe a method used to determine how concentration affects the rate of reaction • Students will know how to develop a hypothesis	Students need to already know that factors affecting rates of reaction are: concentration, pressure of gases, surface area, temperature and the presence of a catalyst.	Recognise and use expressions in decimal form. Use ratios, fractions and percentages. Make estimates of the results of simple calculations. Translate information between graphical and numeric form. Drawing and interpreting appropriate graphs from data to determine rate of reaction. Plot two variables from experimental or other data. Determine the slope and intercept of a linear graph. Draw and use the slope of a tangent to a curve as a measure of rate of change.		BBC Bitesize Knowledge organiser Kay Science videos Tassomai
Lesson:	Students will know that catalysts	Students need to already know how to draw	Recognise and use expressions in	Tier 2	BBC Bitesize
Catalysts	change the rate of reaction without	reaction profiles.	decimal form.		
	being used up.		Use ratios fractions and	Tion 2	Knowledge organiser
	Students will know that an example		Use ratios, fractions and percentages.	Tier 3	Kay Science videos
	of a catalyst is enzymes		percentages.	Catalyst: substance	Kay Science videos
	Students will know that catalysts		Make estimates of the results of	that speeds up the	Tassomai
	increase the rate of reaction by		simple calculations.	rate of reaction	
	providing a different pathway for				



Lesson/Learning	Intended Knowledge:	Prior Knowledge:	Working Scientifically	Tiered Vocabulary	Support The Sutton Acad
			Working Scientifically	•	Зарроге
Lesson/Learning Sequence	Intended Knowledge: Students will know that the reaction that has a lower activation energy Students will know how to represent a catalysed reaction using a reaction profile. Students will know how to identify catalysts in reactions from their effect on the rate of reaction and because they are not included in the chemical equation for the reaction	Prior Knowledge: In order to know this, students need to already know that	Working Scientifically Translate information between graphical and numeric form. Drawing and interpreting appropriate graphs from data to determine rate of reaction. Plot two variables from experimental or other data. Determine the slope and intercept of a linear graph. Draw and use the slope of a tangent to a curve as a measure	Tiered Vocabulary and Reading Activity without itself being used up Enzyme: biological catalyst	Support Support
Lesson: Reversible Reactions	 Students will know that in some chemical reactions, the products of the reaction can react to produce the original reactants. These reactions are called reversible reactions Students will know that if an equation contains a double arrow (⇌) that it is a reversible reaction Students will know that the direction of a reversible reaction can be changed by changing the conditions Students will know that if a reversible reaction is exothermic in one direction, it is endothermic in the opposite direction. Students will know that the same amount of energy is transferred in both directions of a reversible reaction Students need to know that when a reversible reaction occurs in a reaction vessel that prevents the escape of reactants and products equilibrium is reached. This means that the forward 	Students already need to know that exothermic reactions release heat energy to their surroundings Students already need to know that endothermic reactions release heat energy to their surroundings surroundings	of rate of change. Recognise and use expressions in decimal form. Use ratios, fractions and percentages. Make estimates of the results of simple calculations. Translate information between graphical and numeric form. Drawing and interpreting appropriate graphs from data to determine rate of reaction. Plot two variables from experimental or other data. Determine the slope and intercept of a linear graph. Draw and use the slope of a tangent to a curve as a measure of rate of change.	Tier 2 Reversible: capable of going in both directions Tier 3 Dynamic Equilibrium: when, in a reversible reaction, the forwards reaction is going at the same rate as the backwards reaction	BBC Bitesize Knowledge organiser Kay Science videos Tassomai



Lesson/Learning	Intended Knowledge: Students will know that	Prior Knowledge: In order to know this, students need to already know that	Working Scientifically	Tiered Vocabulary	Support
Lesson: The Effect of Changing Conditions on Equilibrium (HT only)	Students will know that the relative amounts of reactants and products at equilibrium depends on the conditions of the reaction Students will know that if there is a change in conditions of a system in equilibrium then the system responds to counteract the change Students will know that the effects of changing conditions on a system at equilibrium can be predicted using Le Chatelier's Principle Students will know that if the concentration of a reactant is increased, more products will be formed until equilibrium is reached again Students will know that if the concentration of a product is decreased, more reactants will react until equilibrium is reached again Students will know thou to interpret	Students already need to know that exothermic reactions release heat energy to their surroundings Students already need to know that endothermic reactions release heat energy to their surroundings to their surroundings	Recognise and use expressions in decimal form. Use ratios, fractions and percentages. Make estimates of the results of simple calculations. Translate information between graphical and numeric form. Drawing and interpreting appropriate graphs from data to determine rate of reaction. Plot two variables from experimental or other data. Determine the slope and intercept of a linear graph. Draw and use the slope of a tangent to a curve as a measure of rate of change.	Tier 2 Counteract: act against something to reduce it Tier 3 Gaseous: involving gases	THE BUILDING TOUR
	_		S		



						<u>Sutton Ac</u> ade
Lesson/Learning	Intended Knowledge:	Prior Knowledge:	Working Scientifically	Tiered Vocabulary	Support	
Sequence	Students will know that	In order to know this, students need to already know that		and Reading Activity		
	The relative amounts of products at					
	equilibrium decreases for an					
	exothermic reaction					
	 Students will know that if the 					
	temperature of a system at					
	equilibrium is decreased:					
	The relative amount of products at					
	equilibrium decreases for an					
	endothermic reaction					
	The relative amounts of products at					
	equilibrium increases for an					
	exothermic reaction					
	 Students will know that for a 					
	gaseous reaction at equilibrium an					
	increase in pressure causes the					
	equilibrium position to shift					
	towards the side with the smaller					
	number of molecules as shown by					
	the symbol equation for that					
	reaction					
	Students will know that for a gaseous					
	reaction at equilibrium a decrease in					
	pressure causes the equilibrium position					
	to shift towards the side with the larger					
	number of molecules as shown by the					
	symbol equation for that reaction					